



```
SET @i = @i + 1;
END;
```

```
SELECT @r AS [After]
```

```
/*--Result
```

```
After
```

```
-----
```

```
SQL Server
```

```
*/
```

```
Ø-ØªÙŒ Ø´Ø§ ÛŒÙ...ÙŒ Û´Ø±Ù•ØªÙ† Ø§Ø² Assignment Select Û´ Û...Ø§Ø´Ù† ÛŒ WHERE Û...ÙŒ
ØªÙ´Ø§Ù†ÙŒÙ... Ø§Ø² Ø´Ø³ØªÙ´Ø±Ø§Øª DML Ø´Ù† Ø´Ø§ÙŒ IF Ø´Ø± Ø´Ø´Ù†Ù† ÛŒ Ø´Ù,,Ù,Ù†
Ø§Ø³ØªÙ´Ø§Ø´Ù† ÛŒÙ†ÙŒÙ...: (ØªÙ´Ø´Ù†: Ø³Ø¹ÙŒ Ø´Ø´Ù† Ø§Ø³Øª Ø§Ø² Ø´Ø®Ø±ÙŒÙ† Syntax Û†Ø±Ù...
Ø§Ù´Ø²Ø§Ø± SQL Server Ø§Ø³ØªÙ´Ø§Ø´Ù† Ø´Ù´Ø´Œ Ø´Ø´Ù´Ø± Û...Ø«Ø§Ù,, Ø´Ø§ ÛŒÙ...ÙŒ ÛŒÙŒ
Ø´Ø³ØªÙ´Ø± DECLARE ØªÙ´...Ø§Ù´... Û...ØªØ´ÙŒØ± Û†Ø§ Ø±Ø§ ØªØ¹Ø±ÙŒÙ• Û...ÙŒ ÛŒÙ†ÙŒÙ... Û´ Ø´Ø±
Ù†Ù´...Ø§Ù† Û...Ø±Ø´Ù,,Ù† Û...Ù,Ø´Ø§Ø±Ø´Ù†ÙŒ Ø§Ù´Ù,,ÙŒÙ† Û†ÙŒØ² Ø§Ù†Ø´Ø§Ù´... Û...ÙŒ Ø´Ù†ÙŒÙ...
Ù†Ù´...Ù†Ù†ÙŒÙ† Ø§Ø² Ø¹Ù´...Ù,,Ù´Ø± += Û†ÙŒØ² Ø§Ø³ØªÙ´Ø§Ø´Ù† Ø´Ø´Ù† Ø§Ø³Øª) DECLARE @s
VARCHAR(500) = 'SSSSSSQQQQQLLLLL SSSSSeeervvvveerr',
@r VARCHAR(500) = ",
@i INT = 1;
```

```
WHILE @i BEGIN
SELECT @r = @r + SUBSTRING(@s, @i, 1)
WHERE SUBSTRING(@s, @i, 1) SUBSTRING(@s, @i - 1, 1);
```

```
SELECT @i += 1;
END;
```

```
SELECT @r AS [After];
```

```
/*--Result
```

```
After
```

```
-----
```

```
SQL Server
```

```
*/
```

```
Ø±Ù´Ø´ Ø´Ø´ÙŒ Ø´Ø± Û´Ø§Ù´Ø¹ Ø§Ø³ØªÙ´Ø§Ø´Ù† Ø§Ø² ØªÙŒÙ†ÙŒÙŒÙŒ Û†Ø³Øª ÛŒÙ† Û†Ù´...Ù´Ù†Ù†
Ù†Ø§ÙŒ ØªÙŒÙŒÙŒÙŒ ÛŒÙ†ÙŒÙŒÙ†Ù´... Ø§Ø² ÛŒÙŒ ÛŒØ§Ø±Ø§ÙŒÙŒÙŒ Ø®Ø§Øµ Ø±Ø§ Ø´Ø´Ù´ Û...ÙŒ
ÙŒÙ†Ù†Ù´. Ø´Ø´Ù´Ø± ÛŒÙ,,ÙŒ 256 ÛŒØ§Ø±Ø§ÙŒÙŒÙŒ Ø§ØµÙ,,ÙŒ Û´Ø´Ù´Ø´ Ø´Ø§Ø±Ø´. DECLARE @s
VARCHAR(500)='SSSSSSQQQQQLLLLL SSSSSeeervvvveerr',
@i AS INTEGER = 0;
```

```
WHILE @i BEGIN
IF CHARINDEX(CHAR(@i) COLLATE SQL_Latin1_General_CP1_CS_AS, @s COLLATE
SQL_Latin1_General_CP1_CS_AS) > 0
SET @s = REPLACE(REPLACE(REPLACE(@s, CHAR(@i),CHAR(@i) + '~!@#%&^*'), '~!@#%&^*' + CHAR(@i)),
 '~!@#%&^*', '');
SET @i += 1;
END
```

```
SELECT @s AS [Result]
```





